Midterm Review Chem 002 – FS / 07

1. MSDS and Safety

a. Know the MSDS information for the first five experiments.

Zinc: HCl, Zinc& (implications of Bunsen burners)


EF: Aluminum, Copper, Copper Chloride, HCl& (implications of Bunsen burners)


TM: NaCl, SiO₂, CaCO₃, HCl, K₂CO₃

13 TT: NH₃, Ba(NO₃)₂, Cu(NO₃)₂, Fe(NO₃)₃, NiSO₄, K₂CrO₄, KNO₃, K₂C₂O₄, KSCN, NaCl, Na₂S, H₂SO₄, SnCl₂

b. **Room Diagram** – Be able to label equipment in <u>your</u> room.

Balances, Distilled Water, Exits, Fire Extinguishers, Hoods, Safety Blankets, Safety Showers, Waste Containers





Room 201 Room 212

2. Determining the Thickness of a Coating

- a. Read over Statistical Analysis of Zinc Coated Washers pp. 33-52
- b. Know how to determine the volume of a coating based on the mass and density of the coating. $V = m \ / \ d$
- c. Know how to determine the surface area of the item, if given the SA equation for that shape.
- d. Know how to determine the thickness of the coating from the volume and the surface area. thickness = volume / surface area
- e. Be able to determine the percent error, if given the expected thickness of the coating.

3. Statistical Analysis

- a. Read over Statistical Analysis of Zinc Coated Washers pp. 33-52
- b. Know Equations 1-5 and know the names of each equation.
 - 1. Average or mean: $x = \sum x_i / n$
 - 2. Standard Deviation: $\sigma = \sum (x_i x)^2 / n$
 - 3. Estimate of the Standard Deviation: $s = \sum (x_i x)^2 / (n-1)$
 - 4. Confidence Interval (CI) for a single value: $CI_{single} = \pm ts$
 - 5. Confidence Interval (CI) for the mean: $CI_{mean} = \pm ts / n$
- c. Know the differences between equations 2-3 and 4-5 and when each of these equations is applicable.

4. The Empirical Formula of a Compound

- a. Read over *Determining the Empirical Formula of Copper Chloride* pp. 53-64.
- b. Know how to determine the percent composition of a compound, if given initial and final masses.
- c. Be able to determine the empirical formula of the compound by determining the formula weights and mass percents of compounds.

5. Separating Components of a Mixture

- a. Read over Separating the Components of a Ternary Mixture pp. 65-84.
- b. Be able to make a flowchart if given a table of components in a mixture.
- c. Know how to determine the percent of each of the components in the mixture.
- d. Know how to determine the percent recovery and the percent error of the overall composition.

6. Mystery of the Thirteen Test Tubes

- a. Read over *Mystery of the Thirteen Test Tubes* pp 85-94.
- b. Be able to complete overall reactions and net ionic reactions.
- c. Know the basic solubility rules that apply to the ions in the experiment.
 - 1. All nitrates of all metals are soluble.
 - 2. All sodium, potassium, and ammonium salts are soluble.
 - 3. All chlorides are soluble except silver, lead (II), and mercury (I).
 - 4. All sulfates are soluble except barium, calcium, strontium, lead (II), and mercury (I).
 - 5. <u>Carbonates and chromates of sodium, potassium, and ammonium are soluble;</u> all others are insoluble.
 - 6. <u>Sulfides of barium</u>, calcium, magnesium, <u>sodium</u>, <u>potassium</u>, and ammonium are soluble; all others are insoluble.
 - 7. Hydroxides of sodium, potassium, and ammonium are soluble.

 Hydroxides of barium and calcium are moderately soluble.
 - 8. Everything else will be considered insoluble!
- d. Given a precipitation chart be able to determine what compounds were in a set of unknowns.
- e. Be able to give the flame color for sodium, potassium, iron, barium, and copper.

7. Dimensional Analysis

- a. Read over Dimensional Analysis pp 13-26.
- b. Be able to do problems like those in sets 1-3.
- c. Know the rules for **significant figures**.
 - 1. All non-zero digits are significant,

for example, 123 has three significant figures.

- 2. Zeros between non-zero digits are significant,
 - for example, 12.507 has five significant figures.
- 3. Zeros to the left of the first non-zero digit are not significant,

for example, 1.02 has three significant figures,

- 0.12 has two significant figures, and
- 0.012 also has two significant figures.
- 4. If a number ends in zeros to the right of the decimal point, those zeros are significant, for example, 2.0 has two significant figures and 2.00 has three significant figures.